

BOAT	GPH	HULL
Name Katariina II Sail Nr EST-949	539.4	Length Overall 12.960m Maximum Beam 3.910m Displacement 7.557kg Draft 2.738m Plan Review IMS Reg. Division Performance Dynamic Allowance 0.000% Hull Construction Cored Carbon Rudder Yes Crew Arm Extension
GENERAL		IMSL 11.819m VCGD -0.495m Sink 24.30kg/mm RL 11.247m VCGM -0.387m WS 32.90m² LSMO 11.491m Displacement/Length ratio 4.9805
Class SWAN 42 CLUB Designer FRERS Builder NAUTOR Series 05/2006 Age 07/2008 Age Allowance 0.455% Offset File SWAN42CS.OFF - 07/01/2020 13:24:33 Measurement by - 08/05/2019		

SCORING OPTIONS						
	COASTAL / LONG DISTANCE			WINDWARD / LEEWARD		
Time on Distance	525.5			590.5		
Time on Time	1.1419			1.1431		
Triple Number	Low	Medium	High	Low	Medium	High
Time on Distance	605.9	481.1	433.1	780.4	591.2	526.0
Time on Time	1.1140	1.4029	1.5586	0.8649	1.1417	1.2833

TIME ALLOWANCES							
Wind Velocity	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
Beat VMG	887.7	731.3	656.7	629.6	617.6	608.7	596.9
52°	583.6	491.7	458.9	447.7	442.5	439.7	431.6
60°	552.2	474.5	447.9	435.9	430.0	426.4	418.4
75°	527.8	463.6	438.9	422.7	410.2	403.0	396.2
90°	532.1	463.2	437.8	418.8	400.6	385.2	367.1
110°	534.0	454.5	424.5	407.2	393.0	378.5	353.6
120°	547.3	459.1	426.4	398.8	378.2	362.6	334.2
135°	608.6	490.3	443.2	415.4	386.6	358.0	304.2
150°	723.4	577.9	491.0	445.7	424.7	403.1	348.4
Run VMG	835.3	667.3	567.0	514.2	489.2	459.3	402.3
Selected Courses							
Windward / Leeward	861.5	699.3	611.8	571.9	553.4	534.0	499.6
Circular Random	732.4	595.5	523.8	483.2	458.1	440.4	413.2
Coastal / Long Distance	858.9	658.2	555.1	500.0	470.8	443.7	396.3
Non Spinnaker	800.5	643.7	559.0	509.3	478.0	456.9	428.5

Velocity Prediction in Knots for True Wind Speeds							
Wind Velocity	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
Beat Angles	42.8°	40.9°	39.4°	37.9°	37.9°	37.1°	37.1°
Beat VMG	4.06	4.92	5.48	5.72	5.83	5.91	6.03
52°	6.17	7.32	7.85	8.04	8.14	8.19	8.34
60°	6.52	7.59	8.04	8.26	8.37	8.44	8.60
75°	6.82	7.76	8.20	8.52	8.78	8.93	9.09
90°	6.77	7.77	8.22	8.60	8.99	9.35	9.81
110°	6.74	7.92	8.48	8.84	9.16	9.51	10.18
120°	6.58	7.84	8.44	9.03	9.52	9.93	10.77
135°	5.92	7.34	8.12	8.67	9.31	10.06	11.84
150°	4.98	6.23	7.33	8.08	8.48	8.93	10.33
Run VMG	4.31	5.39	6.35	7.00	7.36	7.84	8.95
Gybe Angles	143.0°	145.3°	149.0°	152.0°	151.5°	176.0°	143.3°



ORC
Offshore Racing Congress
World leader in rating technology

2020

ORC International Certificate

Rating Office
Estonian Yachting Union
Purje 8, maja 3
11911 Tallinn
Estonia



ESTONIAN YACHTING UNION

Certificate
Number **149/20**
ORC Ref **038800000LI**
Issued On **18/08/2020**
VPP Ver. **2020 1.02**
Valid until **31/12/2020**

Crew Weight
Default **839kg**
Maximum **915kg**
Minimum* **686kg**
*when applied by the NoR and SI
Non Manual Pwr **No**

Special Scoring
ToD ToT
Non Spin GPH **576.5 1.0408**
Non Spin OSN **562.7 1.0663**

Sails Limitations
Headsails **6** Spinnakers **4**

Class Division Length
CDL = **11.528**

Storm Sails Areas
Heavy Weather Jib **44.58**
Storm Jib (JL=11.82) **16.51**
Storm Triesail **17.35**

BOAT Name Katariina II Sail Nr EST-949 File EST949 Data in meters/kilograms										INCLINING TEST AND FREEBOARDS Inclining Test Current Inclining Flotation date 30/07/2020 SG 1.0260 FFM 1.465 FF 1.465 SFFP 0.474 FAM 1.119 FA 1.119 SAFFP 12.543 W1 99.4 PD1 493.1 WD 14.270 W2 99.4 PD2 500.3 GSA 1.0 W3 99.4 PD3 495.4 RSA 1.0 W4 99.4 PD4 496.5 PLM 9000.0 LCF from stem on CL / on sheer 7.166 / 7.414 Maximum beam station from stem 8.347 RM Measured 225.1kg·m RM Default 214.4kg·m Limit of positive stability / Stab.Index 136.5° / 138.9 Freeboard at mast at 5.344 1.242																																																																																																																																											
RIG Forestay Tension Aft Spreaders 2 Inner Stay None Fitted Runners/Checkstays 0 Carbon Mast Yes Jib Furler No Fiber Rigging No Main Furler No Non-Circular Rigging No Articulated Bowsprit No P 17.180 E 5.770 MDT1 0.140 MW 0.263 IG 18.000 J 5.000 MDL1 0.263 GO 0.310 ISP 19.470 SFJ 0.344 MDT2 0.140 BD 0.248 BAS 1.955 SPL 0.000 MDL2 0.190 MWT 255.00 FSD TPS 7.318 TL 0.900 MCG 6.150										MIZZEN RIG AND SAILS N/A																																																																																																																																											
COMMENTS BOAT EMPTY WITHOUT TABLE										PROPELLER Installation Strut PRD 0.430 Type Folding 2 blades PBW 0.110 Twin Screw No PIPA 0.0041 ST1 0.065 ST3 0.180 ST5 0.302 ST2 0.180 ST4 0.110 EDL 1.800																																																																																																																																											
MOVABLE BALLAST N/A										CENTERBOARD N/A																																																																																																																																											
SAILS (Maximum Areas) <table border="1"> <thead> <tr> <th>Mainsail</th> <th>MHB</th> <th>MUW</th> <th>MTW</th> <th>MHW</th> <th>MQW</th> <th>Area</th> <th>Area (r)</th> <th>Formula</th> </tr> </thead> <tbody> <tr> <td></td> <td>0.18</td> <td>1.48</td> <td>2.44</td> <td>3.78</td> <td>4.85</td> <td>60.69</td> <td>62.09</td> <td>P/8 · (E + 2·MQW+ 2·MHW + 1.5·MTW + MUW + 0.5·MHB)</td> </tr> </tbody> </table> Symmetric Not Available Asymmetric on centerline SLU SLE SL SHW SFL 184.19 AS · (SFL + 4·SHW) / 6																				Mainsail	MHB	MUW	MTW	MHW	MQW	Area	Area (r)	Formula		0.18	1.48	2.44	3.78	4.85	60.69	62.09	P/8 · (E + 2·MQW+ 2·MHW + 1.5·MTW + MUW + 0.5·MHB)																																																																																																																
Mainsail	MHB	MUW	MTW	MHW	MQW	Area	Area (r)	Formula																																																																																																																																													
	0.18	1.48	2.44	3.78	4.85	60.69	62.09	P/8 · (E + 2·MQW+ 2·MHW + 1.5·MTW + MUW + 0.5·MHB)																																																																																																																																													
HEADSAILS Area = 0.1125·HLU · (1.445·HLP + 2·HQW + 2·HHW + 1.5·HTW + HUW + 0.5·HHB) <table border="1"> <thead> <tr> <th>HHB</th> <th>HUW</th> <th>HTW</th> <th>HHW</th> <th>HQW</th> <th>HLP</th> <th>HLU</th> <th>Area</th> <th>Btn</th> <th>Flying</th> <th>Meas.Date</th> <th>Material</th> <th>Comment</th> </tr> </thead> <tbody> <tr><td>0.10</td><td>0.81</td><td>1.50</td><td>2.73</td><td>3.96</td><td>5.36</td><td>18.36</td><td>50.06</td><td>Y</td><td>No</td><td>18/07/2018</td><td>Unknown</td><td>Light 2018</td></tr> <tr><td>0.10</td><td>0.80</td><td>1.49</td><td>2.72</td><td>3.95</td><td>5.35</td><td>18.29</td><td>49.70</td><td>Y</td><td>No</td><td>08/05/2019</td><td>Unknown</td><td>Light 2019</td></tr> <tr><td>0.10</td><td>0.78</td><td>1.37</td><td>2.71</td><td>4.03</td><td>5.36</td><td>18.30</td><td>49.64</td><td>Y</td><td>No</td><td>08/05/2019</td><td>Unknown</td><td>superlight 2019</td></tr> <tr><td>0.09</td><td>0.79</td><td>1.49</td><td>2.72</td><td>3.93</td><td>5.34</td><td>18.29</td><td>49.56</td><td>Y</td><td>No</td><td>08/05/2019</td><td>Unknown</td><td>Medium 2019</td></tr> <tr><td>0.09</td><td>0.79</td><td>1.48</td><td>2.69</td><td>3.88</td><td>5.28</td><td>18.10</td><td>48.51</td><td>Y</td><td>No</td><td>30/04/2018</td><td>Unknown</td><td>Medium trieste 2017</td></tr> <tr><td>0.10</td><td>0.79</td><td>1.46</td><td>2.65</td><td>3.92</td><td>5.28</td><td>18.00</td><td>48.19</td><td>Y</td><td>No</td><td>30/04/2018</td><td>Unknown</td><td>Light trieste 2017</td></tr> <tr><td>0.10</td><td>0.72</td><td>1.34</td><td>2.55</td><td>3.84</td><td>5.30</td><td>18.30</td><td>47.80</td><td>Y</td><td>No</td><td>10/09/2018</td><td>Unknown</td><td>Heavy 2018</td></tr> <tr><td>0.10</td><td>0.71</td><td>1.33</td><td>2.54</td><td>3.83</td><td>5.27</td><td>18.17</td><td>47.24</td><td>Y</td><td>No</td><td>14/03/2016</td><td>Unknown</td><td>Heavy 2016</td></tr> <tr><td>0.10</td><td>0.80</td><td>1.60</td><td>1.80</td><td>3.50</td><td>3.96</td><td>16.85</td><td>37.10</td><td></td><td>Inner</td><td></td><td>Unknown</td><td>Stay sail</td></tr> </tbody> </table>																				HHB	HUW	HTW	HHW	HQW	HLP	HLU	Area	Btn	Flying	Meas.Date	Material	Comment	0.10	0.81	1.50	2.73	3.96	5.36	18.36	50.06	Y	No	18/07/2018	Unknown	Light 2018	0.10	0.80	1.49	2.72	3.95	5.35	18.29	49.70	Y	No	08/05/2019	Unknown	Light 2019	0.10	0.78	1.37	2.71	4.03	5.36	18.30	49.64	Y	No	08/05/2019	Unknown	superlight 2019	0.09	0.79	1.49	2.72	3.93	5.34	18.29	49.56	Y	No	08/05/2019	Unknown	Medium 2019	0.09	0.79	1.48	2.69	3.88	5.28	18.10	48.51	Y	No	30/04/2018	Unknown	Medium trieste 2017	0.10	0.79	1.46	2.65	3.92	5.28	18.00	48.19	Y	No	30/04/2018	Unknown	Light trieste 2017	0.10	0.72	1.34	2.55	3.84	5.30	18.30	47.80	Y	No	10/09/2018	Unknown	Heavy 2018	0.10	0.71	1.33	2.54	3.83	5.27	18.17	47.24	Y	No	14/03/2016	Unknown	Heavy 2016	0.10	0.80	1.60	1.80	3.50	3.96	16.85	37.10		Inner		Unknown	Stay sail
HHB	HUW	HTW	HHW	HQW	HLP	HLU	Area	Btn	Flying	Meas.Date	Material	Comment																																																																																																																																									
0.10	0.81	1.50	2.73	3.96	5.36	18.36	50.06	Y	No	18/07/2018	Unknown	Light 2018																																																																																																																																									
0.10	0.80	1.49	2.72	3.95	5.35	18.29	49.70	Y	No	08/05/2019	Unknown	Light 2019																																																																																																																																									
0.10	0.78	1.37	2.71	4.03	5.36	18.30	49.64	Y	No	08/05/2019	Unknown	superlight 2019																																																																																																																																									
0.09	0.79	1.49	2.72	3.93	5.34	18.29	49.56	Y	No	08/05/2019	Unknown	Medium 2019																																																																																																																																									
0.09	0.79	1.48	2.69	3.88	5.28	18.10	48.51	Y	No	30/04/2018	Unknown	Medium trieste 2017																																																																																																																																									
0.10	0.79	1.46	2.65	3.92	5.28	18.00	48.19	Y	No	30/04/2018	Unknown	Light trieste 2017																																																																																																																																									
0.10	0.72	1.34	2.55	3.84	5.30	18.30	47.80	Y	No	10/09/2018	Unknown	Heavy 2018																																																																																																																																									
0.10	0.71	1.33	2.54	3.83	5.27	18.17	47.24	Y	No	14/03/2016	Unknown	Heavy 2016																																																																																																																																									
0.10	0.80	1.60	1.80	3.50	3.96	16.85	37.10		Inner		Unknown	Stay sail																																																																																																																																									
MEASUREMENT INVENTORY Measurer PINDOZZI-MUZZI 174-66 Date 30/07/2020 Comment Carbon Boom Internal Ballast total = 194.5										MEASUREMENT INVENTORY <table border="1"> <thead> <tr> <th>Id</th> <th>Item</th> <th>Tank Use</th> <th>Tank Type</th> <th>Capcty</th> <th>Dist.</th> <th>VCG</th> <th>Condtn</th> <th>Description</th> </tr> </thead> <tbody> <tr><td>A</td><td>Tank</td><td>FUEL</td><td>PVC</td><td>70.0</td><td>5.85</td><td></td><td></td><td>5-0 STB</td></tr> <tr><td>B</td><td>Tank</td><td>FUEL</td><td>PVC</td><td>70.0</td><td>5.85</td><td></td><td></td><td>0-0 PORT</td></tr> <tr><td>C</td><td>Tank</td><td>WATER</td><td>PVC</td><td>320.0</td><td>6.60</td><td></td><td></td><td>0-0 2x160 l</td></tr> </tbody> </table>										Id	Item	Tank Use	Tank Type	Capcty	Dist.	VCG	Condtn	Description	A	Tank	FUEL	PVC	70.0	5.85			5-0 STB	B	Tank	FUEL	PVC	70.0	5.85			0-0 PORT	C	Tank	WATER	PVC	320.0	6.60			0-0 2x160 l																																																																																														
Id	Item	Tank Use	Tank Type	Capcty	Dist.	VCG	Condtn	Description																																																																																																																																													
A	Tank	FUEL	PVC	70.0	5.85			5-0 STB																																																																																																																																													
B	Tank	FUEL	PVC	70.0	5.85			0-0 PORT																																																																																																																																													
C	Tank	WATER	PVC	320.0	6.60			0-0 2x160 l																																																																																																																																													
<table border="1"> <thead> <tr> <th>Id</th> <th>Item</th> <th>Weight</th> <th>Distance</th> <th>VCG</th> <th>Description</th> </tr> </thead> <tbody> <tr><td>A</td><td>Engine</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>										Id	Item	Weight	Distance	VCG	Description	A	Engine					<table border="1"> <thead> <tr> <th>Id</th> <th>Item</th> <th>Weight</th> <th>Distance</th> <th>VCG</th> <th>Description</th> </tr> </thead> <tbody> <tr><td>A</td><td>Ballast</td><td>85.4</td><td>7.96</td><td></td><td>5 pieces lead PORT</td></tr> <tr><td>B</td><td>Ballast</td><td>68.3</td><td>7.61</td><td></td><td>4 pieces lead STB</td></tr> <tr><td>C</td><td>Ballast</td><td>20.8</td><td>8.61</td><td></td><td>CORRECTOR WEIGHTS 1 PORT+1 STB</td></tr> <tr><td>D</td><td>Ballast</td><td>20.0</td><td>5.15</td><td></td><td>CORRECTOR WEIGHTS 2xCX</td></tr> <tr><td>A</td><td>Battery</td><td></td><td>6.31</td><td></td><td>2 BATTERIES CX</td></tr> <tr><td>B</td><td>Battery</td><td></td><td>9.41</td><td></td><td>1 BATTERY STB</td></tr> <tr><td>A</td><td>Misc</td><td></td><td>8.16</td><td></td><td>COOKING STOVE</td></tr> <tr><td>B</td><td>Misc</td><td></td><td>11.88</td><td></td><td>AUTOPILOT</td></tr> </tbody> </table>										Id	Item	Weight	Distance	VCG	Description	A	Ballast	85.4	7.96		5 pieces lead PORT	B	Ballast	68.3	7.61		4 pieces lead STB	C	Ballast	20.8	8.61		CORRECTOR WEIGHTS 1 PORT+1 STB	D	Ballast	20.0	5.15		CORRECTOR WEIGHTS 2xCX	A	Battery		6.31		2 BATTERIES CX	B	Battery		9.41		1 BATTERY STB	A	Misc		8.16		COOKING STOVE	B	Misc		11.88		AUTOPILOT																																																																
Id	Item	Weight	Distance	VCG	Description																																																																																																																																																
A	Engine																																																																																																																																																				
Id	Item	Weight	Distance	VCG	Description																																																																																																																																																
A	Ballast	85.4	7.96		5 pieces lead PORT																																																																																																																																																
B	Ballast	68.3	7.61		4 pieces lead STB																																																																																																																																																
C	Ballast	20.8	8.61		CORRECTOR WEIGHTS 1 PORT+1 STB																																																																																																																																																
D	Ballast	20.0	5.15		CORRECTOR WEIGHTS 2xCX																																																																																																																																																
A	Battery		6.31		2 BATTERIES CX																																																																																																																																																
B	Battery		9.41		1 BATTERY STB																																																																																																																																																
A	Misc		8.16		COOKING STOVE																																																																																																																																																
B	Misc		11.88		AUTOPILOT																																																																																																																																																



ORC
Offshore Racing Congress
World leader in rating technology

2020
IMS Measurement
Certificate

Certificate

Number **149/20**
ORC Ref **038800000LI**
Issued On **18/08/2020**
VPP Ver. **2020 1.02**
Valid until **31/12/2020**



ESTONIAN
YACHTING
UNION




ORC

Offshore Racing Congress
World leader in rating technology

2020

Certificate Appendix
Sail Plan



SAILS INVENTORY

MAINSAIL (2)

Id	MHB	MUW	MTW	MHW	MQW	Area	Measurer	Meas.Date	Manufacture	Material	Comment
C	0.18	1.48	2.44	3.78	4.85	60.69	ITA122	08/05/2019	NORTH	Unknown	2018
B	0.17	1.48	2.43	3.75	4.82	60.39	ITA120	30/04/2018	N/S	Unknown	2017

HEADSAILS (9)

Id	HHB	HUW	HTW	HHW	HQW	HLP	HLU	Ovrlp	Area	Btn	Flying	Measurer	Meas.Date	Manufacture	Material	Comment
C	0.10	0.81	1.50	2.73	3.96	5.36	18.36	107%	50.06	Y	No	ITA122	18/07/2018	North Sails	Unknown	Light 2018
I	0.10	0.80	1.49	2.72	3.95	5.35	18.29	107%	49.70	Y	No	ITA122	08/05/2019	North	Unknown	Light 2019
J	0.10	0.78	1.37	2.71	4.03	5.36	18.30	107%	49.64	Y	No	ITA122	08/05/2019	north	Unknown	superlight 2019
D	0.09	0.79	1.49	2.72	3.93	5.34	18.29	107%	49.56	Y	No	ITA122	08/05/2019	north	Unknown	Medium 2019
E	0.09	0.79	1.48	2.69	3.88	5.28	18.10	106%	48.51	Y	No	ITA120	30/04/2018	N/S	Unknown	Medium trieste 2017
A	0.10	0.79	1.46	2.65	3.92	5.28	18.00	106%	48.19	Y	No	ITA120	30/04/2018	North Sails	Unknown	Light trieste 2017
G	0.10	0.72	1.34	2.55	3.84	5.30	18.30	106%	47.80	Y	No	ITA122	10/09/2018	NORTH	Unknown	Heavy 2018

SYMMETRIC SPINNAKERS (0)

Id	SLU	SLE	SL	SHW	SFL	Area	Measurer	Meas.Date	Manufacture	Material	Comment
----	-----	-----	----	-----	-----	------	----------	-----------	-------------	----------	---------

ASYMMETRIC SPINNAKERS (2)

Id	SLU	SLE	SL	SHW	SFL	Area	Kind	Measurer	Meas.Date	Manufacture	Material	Comment
H	22.10	17.69	19.90	11.12	11.07	184.20	asym	ITA122	08/05/2019	NORTH	Unknown	A2 2018
F	21.84	17.97	19.91	10.97	11.29	183.03	asym	Yayes	30/04/2019	N/S	Unknown	A1,5 2019